


GUTH LIGHTING EQUIPMENT



for

**HOSPITALS
SCHOOLS AND COMMERCIAL
BUILDINGS ~**

The **EDWIN F. GUTH COMPANY**
DESIGNERS ~ ENGINEERS ~ MANUFACTURERS
ST. LOUIS, U. S. A.

Foreword

With the publishing of this our No. 24 Catalog, we are illustrating a large and varied assortment of new and modern Lighting Fixture Designs many of which have never before been cataloged. These fixture designs are the conceptions of our own expert designers and engineers, assisted by many eminent architects and hospital superintendents and are authentic for Hospitals, Schools, Public Buildings, etc.

From the raw material to the finished product every operation is handled under improved methods and with the most modern machinery. Each operation is carefully inspected before a Guth Fixture is ready to be shipped. Because of the great care

taken in manufacturing and shipment, Guth Equipment may be confidently relied upon for immediate installation.

Where design and construction permit, Guth Fixtures are stamped from a single piece of heavy Armco iron with 3 coats of permanent porcelain enamel fused on at 1600 degrees Fahrenheit, in our electric enameling furnace. Our heavy porcelain enamel is of vitreous glass material, non-porous, and its electrical insulation resists penetration up to 1200 volts. This process insures a perfectly smooth surface and is guaranteed not to peel, check or tarnish. Guth Fixtures are made in the largest and most completely equipped plant in the industry.

All prices in this Catalog contemplate our furnishing the material complete with exception of electric lamps, wired and assembled, as far as practical for safe transportation. No packing or boxing charges. All prices F. O. B. St. Louis.

If glass other than illustrated on fixture is ordered the correct price can be arrived at by deducting price of glassware illustrated (by referring to price list on inside of back cover) and adding in lieu the glassware ordered, which will give the list of complete fixture.

On designs which appeared in previous Catalogs under other numbers and are now shown in this issue the prices and numbers listed herein supersede all previous listings.

Terms: To all concerns of satisfactory credit rating—1% 15 days, net 30 days.

The EDWIN E. GUTH COMPANY

DESIGNERS, ENGINEERS AND MANUFACTURERS
of LIGHTING EQUIPMENT AND GUTH-FAN

ST. LOUIS, U. S. A.

SALES OFFICES

NEW YORK CITY
811 Marbridge Bldg. Tel.: Wisconsin 2094
CLEVELAND
1068 Leedale Ave. Tel.: Lakewood 4894
COLUMBUS
1436 W. Second Ave. Tel.: University 3432
DETROIT
12071 Cloverlawn Ave. Tel.: Garfield 7047M


MILWAUKEE
2043 Cumberland Blvd. Tel.: Edgewood 4794
ST. PAUL
1598 Berkley Ave. Tel.: Emerson 5914
ATLANTA
1041 W. Peachtree St. N. E. Tel.: Hemlock 7664
SAN FRANCISCO
407 Call Bldg. Tel.: Sutter 5020

INDEX

Number	Illustrated on Page	Number	Illustrated on Page
W618 to W622 Inc. - - - - -	3	R1208 to R1215 Inc. - - - - -	9
W651 to W653 Inc. - - - - -	3	R1216 to R1223 Inc. - - - - -	8
H887 to H892 Inc. - - - - -	4	R1241 to R1246 - - - - -	9
H893 to H898 Inc. - - - - -	5	R1247 to R1253 Inc. - - - - -	22
H901 to H902 Inc. - - - - -	5	R1255 to R1259 Inc. - - - - -	22
W937 to W939 Inc. - - - - -	3	R1297 - - - - -	23
W943 - - - - -	3	R1298 - - - - -	22
R1017 - - - - -	32	R1322 to R1325 Inc. - - - - -	34
W1018 to W1029 Inc. - - - - -	32	R1342 to R1343 Inc. - - - - -	34
R1032 to R1034 Inc. - - - - -	33	R1344 to R1354 Inc. - - - - -	35
R1036 to R1045 Inc. - - - - -	33	M1364 - - - - -	20
A1064 to A1067 Inc. - - - - -	10	G2749 to G2751 Inc. - - - - -	25
A1072 to 1077 Inc. - - - - -	10	A2976 to A2989 Inc.- - - - -	11
A1078 to A1089 Inc. - - - - -	12	K2997 to K2993 - - - - -	9
R1091- - - - -	14	R3917 to R3918 - - - - -	16
R1092 to R1096 Inc. - - - - -	15	R3045 - - - - -	24
R1097 to R1101 Inc. - - - - -	14	R3205 to R3206 - - - - -	27
R1102 to R1104 Inc. - - - - -	20	R3244 to R3246 Inc. - - - - -	26
R1105 to R1112 Inc. - - - - -	13	R3256 to R3257 : - - - - -	27
W1113 to W1118 Inc. - - - - -	21	R3350 to R3353 Inc. - - - - -	29
K1127 to K1130 Inc. - - - - -	25	R3359 to R3364 Inc. - - - - -	28
R1139 - - - - -	25	R3365 to R3370 Inc. - - - - -	30
R1145 to R1148 Inc. - - - - -	21	R3371 to R3375 Inc. - - - - -	31
R1149 to R1156 Inc. - - - - -	8	R3377 - - - - -	15
K1160 to K1162 Inc. - - - - -	20	R3378 to R3381 - - - - -	21
K1163 to K1167 Inc. - - - - -	6	R3382 to R3388 Inc. - - - - -	8
K1168 to K1173 Inc. - - - - -	36	R3389 to R3392 Inc. - - - - -	23
K1177 to K1179 Inc. - - - - -	36	K3393 to K3394 Inc. - - - - -	36
K1183 to K1185 Inc. - - - - -	36	K3395 - - - - -	6
K1187- - - - -	36	R3399 to R3414 Inc. - - - - -	7
K1189 to K1191 Inc. - - - - -	36	R3415 - - - - -	20
K1193- - - - -	36	E3419 - - - - -	24
K1195 - - - - -	36	W3463 to W3470 - - - - -	2
R1196 to R1199 Inc. - - - - -	25	R3488 - - - - -	20
		R3489 to R3491 - - - - -	24

A NEW BRASCOLITE


Pat. No. 14680. Trade Mark Reg. U. S. Pat. Office



No. W3464—1 Light
Plain Glass

No.	Skt.	Material	Watts	Diam.	Glass	Size	Price
W3463	Med.	Steel	75/150	12½"	G4876	7"	\$ 7.00
W3464	Med.	Steel	200	17"	G4882	9½"	9.40
W3465	Mog.	Steel	300/500	21"	G4888	12"	12.90

Brascolite Pull Switch—Price \$1.50 List Additional




No. W3466—1 Light
Decorated Glass

No.	Skt.	Material	Watts	Diam.	Glass	Size	Price
W3466	Med.	Steel	75/150	12½"	G4877	7"	\$ 8.70
W3467	Med.	Steel	200	17"	G4883	9½"	11.80
W3468	Mog.	Steel	300/500	21"	G4889	12"	16.10

Brascolite Pull Switch—Price \$1.50 List Additional

Beauty
in Design
Plus
High
Efficiency



No. W3469 3-Chain Hanger—Material Steel
36" O. A.

Finish—Leather Bronze
Price \$5.60 List

Extra Length, Single Diamond Chain
\$1.50 List Per Foot

No. W3470—3-Chain Hanger—Oval Link
Material—Steel

36" O. A.
Finish—Leather Bronze
Price \$3.00 List

Extra Length with Single Chain
\$0.75 List Per Foot

Description


The high efficiency of the Brascolite is obtained by the arrangement of the bowl and reflector which direct all the emitted light rays to the working plane with a minimum of absorption. Brascolite photometric tests show an average efficiency of the Brascolite over 80%. The Brascolite carries its own ceiling, therefore, it is independent of room ceilings in height, shape or color.

Because of Brascolite's wide light distribution and better illumination, fewer units are required with a result that a considerable saving is made in current consumption. Low maintenance cost is brought about by the low rate of depreciation rugged construction and everlasting porcelain enamel finish. The permanent porcelain enamel finish on the reflector simplifies cleaning. By merely rubbing with a damp cloth the original lustre is renewed. The porcelain enamel is guaranteed not to check, peel or discolor. Releasing one hook provides easy access to the interior of the bowl for relamping and cleaning.

Brascolite reflector is finished in a pale cream color with a band of crimson on the outer edge. The bowl is decorated in silver gray and red. The Brascolite can be furnished in three sizes and four styles, decorated and plain ceiling type, and decorated and plain with chain hanger. Brascolites are packed complete except lamp, in jute package. It is the simplest unit to install.

BRASCOLITE


Diffusion Plus Reflection



No. W618—1 Light

Translucent Glass Bowl of Tuscan Design. Reflector all White Glazed Porcelain Enamel—Type W623 same as Type W618—With Band Finished Leather Bronze Furnished without Additional Charge.

No.	Skt.	Watts	Dia.	Glass	Price	Code	Type	Code
W618	Med.	40/75	10	G766	\$ 6.40	Wlnk	W623	Wlood
W619	Med.	100/200	14	G765	8.00	Wliss	W624	Wloom
W620	Med.	200	18	G764	12.00	Wloat	W625	Wlout
W621	Mog.	300	18	G764	12.00	Wloka	W626	Wlow
W622	Mog.	500	22	G763	19.50	Wlond	W627	Wlude



No. W651—1 Light

Vitreous Glass Reflector—All White
Alba Glass Bowl
Subject to Prior Sale


No.	Skt.	Watts	Diam.	Glass	Size	Price	Code
W651	Med.	40/75	11"	G766	6 1/4"	\$ 7.50	Wound
W652	Med.	100/200	14"	G765	8 1/4"	10.00	Wourn
W653	Mog.	300	17 1/2"	G764	11"	12.50	Wowan



No. W937—1 Light
Brass

Finish -F364 (French Gold)
Reflector White Porcelain Enameled
Alba Glass

No.	Skt.	Watts	Diam.	Lgth.	Glass	Size	Price	Code
W937	Med.	100/200	17"	12"	G1367	9"	\$12.85	Annul
W938	Med.	200	21"	14 1/4"	G1368	11 1/2"	18.70	Anode
W939	Mog.	300	21"	14 1/4"	G1368	11 1/2"	18.70	Anon



No. W943

3 Chain Hanger For Use with Brascolites
Material—Steel
Finish—Leather Bronze

Length O. A.	Price	Code
36"	\$3.00	Aphis

Additional Length with Single Chain Per Foot \$0.75 List

THE WORLD FAMOUS BRASCOLITE—MORE THAN A MILLION IN USE

Designed for beauty, high efficiency, ease of installation, low cost and maintenance. . . . Brascolite is the ideal fixture for every purpose. . . . The mechanical features are simple, substantial and practical. . . . Brascolite produces a light, closely approaching daylight, with absence of glare. . . . Made in many styles and sizes.

GUTH LITE


Pat. No. 1453794
U. S. Patent Office

SUPER ILLUMINATOR


Nationally Advertised

GUTH LITE

Trade Mark Reg.



Hanger and Ornamental Band Finish F557 (Antique Bronze). Reflector—White Porcelain Enameled with Outer Edge Ivory.



No. H887—1 Light—Plain Glass
Steel—Porcelain Finish

No.	Skt.	Watt	Diam.	Lgth.	Glass	Size	Price	Code
H887	Med.	75/150	12 1/2"	14 1/2"	G3722	8 1/2 x 4	\$ 6.50	Abed
H888	Med.	200	17"	18"	G3723	12 x 5	10.00	Able
H889	Mog.	300/500	21"	19"	G3724	14 x 6	13.50	About

No. H890—1 Light—Tan Decorated Glass
Steel—Porcelain Finish

No.	Skt.	Watt	Diam.	Lgth.	Glass	Size	Price	Code
H890	Med.	75/150	12 1/2"	14 1/2"	G3726	8 1/2 x 4	\$ 7.05	Above
H891	Med.	200	17"	18"	G3727	12 x 5	10.55	Adapt
H892	Mog.	300/500	21"	19"	G3728	14 x 6	14.65	Adieu

Pull Switch \$1.50 List Additional Extra Length \$0.35 List Per Foot





Photo-metric light curve showing wide distribution of light

1. New Guth Fixture Supporting Socket. Threaded outside permitting easy adjustment of reflector. Controls amount of up or downward light.

2. Globe Holder of simplest spring type. Safe, elastic and concealed. Ordinary ones absorb about 7% of the light rays, whereas Guth Lite utilizes this for ceiling illumination.

3. Reflector of White Glazed Porcelain Enamel. Adjustable. Controls and redirects the upward light rays to the useful plane.

4. Globe of scientific design. Produces maximum light output, control and diffusion. Wide lower part reduces glare and conceals bright neck. Top of extended portion of globe so shaped that settling dust will not be seen and absorption will be negligible.

5. (Mazda Lamp) Positioned high so that hemisphere is uniformly lighted and is low in brightness. This construction also provides a cool lamp.

The EDWIN F. GUTH COMPANY

ST. LOUIS, U. S. A.


High Efficiency

The Guth Lite is a totally inclosed unit that gives a scientifically correct, diffused and redirected light without glare. Its light rays are distributed vertically, horizontally and at an angle. Guth Lite gives a very wide light distribution so that fewer units are needed to light a given area. The patented features of Guth Lite facilitates installing, cleaning and relamping. It is the lowest priced unit of its type on the market, made in three sizes and four styles, both in chain hanger and close ceiling type.

Hanger and Ornamental
Band

Finish—F557 (Sprayed
Antique Bronze)

Reflector—White Porcelain
Enameled with Moulding
Ivory.




No. H901—1 Light
Brass

Finish—F364 (French Gold)
Reflector—White Porcelain Enameled
Tan Decorated Glass

No.	Skt.	Watt	Diam.	Lgth.	Glass	Size	Price	Code
H901	Med.	200	17"	60"	G3133	12x5	\$37.50	Aglow
H902	Mog.	300/500	21"	60"	G3134	14x6	45.00	Agog

Extra Chain \$1.50 List Per Foot

Decorative



No. H893—1 Light
Steel
Plain Glass

No.	Skt.	Watt	Diam.	Lgth.	Glass	Size	Price	Code
H893	Med.	75/150	13"	14 1/2"	G3722	8 1/2 x 4	\$ 8.15	Aerie
H894	Med.	200	17 1/2"	18"	G3723	12x5	12.20	Aflow
H895	Mog.	300/500	21 1/2"	19"	G3724	14x6	16.30	Afoot

Pull Switch \$1.50 List Additional
Extra Length \$0.35 List Per Foot

Hanger and Ornamental
Band

Finish—F557 (Sprayed
Antique Bronze)

Reflector—White Porcelain
Enameled with Moulding
Ivory.




No. H896—1 Light
Steel
Tan Decorated Glass

No.	Skt.	Watt	Diam.	Lgth.	Glass	Size	Price	Code
H896	Med.	75/150	13"	14 1/2"	G3726	8 1/2 x 4	\$ 8.70	Afore
H897	Med.	200	17 1/2"	18"	G3727	12x5	12.75	Afoul
H898	Mog.	300/500	21 1/2"	19"	G3728	14x6	17.45	Agave

Pull Switch \$1.50 List Additional
Extra Length \$0.35 List Per Foot

ONE-PIECE PORCELAIN ENAMELED



GUTH FLANGE

Pat. No. 1715769

Double Reflecting
Surface

STANDARD FINISHES---

White, Antique Bronze,
Green, and Ivory.


NOTE---

If other colors are de-
sired, write for special
prices, which will be based
on quantity required.

No.	Lts.	Skts.	Diam.	Holder	Price	Code
K1163	1	Med.	6"	3 1/4"	\$2.10	Brave
K1164	1	Med.	7 1/2"	4"	2.20	Brawn
K1165	1	Med.	8 1/2"	5"	2.50	Bray
K1166	1	Med.	10"	6"	2.80	Braze
K1167	1	Mog.	10"	6"	3.25	Bread
K3395	2	Med.	10"	6"	3.80	Nard

Guth Flange

is a constant recommendation for the one installing it. Put in with the greatest ease and rapidity. Offers the utmost in beauty, efficiency and safety. The self-adjusting spring glass holder obviates rattling or breakage; instantly engages or releases glassware; no bothersome set screws. It is dust-proof and has a perfectly smooth, glossy porcelain finish that is easily cleaned. Assures more useful light because within, as well as outside the glass, it reflects light. Inside air space protects ceiling and wiring from heat. Approved by fire underwriters. Ideal for use in Schools, Offices, Stores, Public Buildings, Hospitals and Kitchens. Holds any standard glassware.



1. Patented spring key for engaging or releasing glass. The spring action of the key allows for expansion of glass, thus reducing breakage to a minimum.
2. Two (2) lips for holding glass.
3. Everlasting bronze spring governing key which holds glass.
4. A 3/8" enameled wood knockout for attaching switch.
5. White Porcelain reflector surface inside glass insures maximum light on the working plane.
6. Porcelain enamel-reflector surface outside the glass insures efficient distribution of light.
7. New Guth Fixture supporting socket furnished with 3/8" extension nipple to attach to fixture stud of proper length when outlet box is flush with ceiling.
8. Lock ring for locking flange to socket; slip flange over socket and screw on lock ring.
9. Slot cut out so that wire connections can be made when switch is used. Slot is large enough so connections can be pushed back leaving reflector surface clear.

Superiorities Not Illustrated on Cross-Section

Non-vibrating, Self-adjusting, Dust-proof. No visible screws.

Globe applied or removed in an instant for cleaning or relamping.


Made of Armco-Rust-Resisting Iron with PERMANENT PORCELAIN ENAMELED FINISH. Our heavy porcelain enamel is vitreous glass material, is non-porous and its electrical insulation resists penetration up to 1200 volts. Very efficient; lasts forever.

The EDWIN F. GUTH COMPANY

ST. LOUIS, U. S. A.


GUTH SAFETY HOLDER

No Set Screws
Pat. No. 1710730




No. R3403—1 Light
Steel
Finish—F59 (Statuary Bronze).
Plain Two Piece Holder

No.	Skt.	Fitter	Price	Code
R3403	Med.	4"	\$1.80	Plash
R3404	Med.	5"	1.90	Plat
R3405	Med.	6"	2.10	Pleb
R3406	Mog.	6"	2.65	Plod



No. R3399—1 Light
Steel
Finish—F59 (Statuary Bronze)
Two Piece Holder With Ornamental Band

No.	Skt.	Fitter	Price	Code
R3399	Med.	4"	\$2.45	Peart
R3400	Med.	5"	2.55	Pend
R3401	Med.	6"	2.75	Pert
R3402	Mog.	6"	3.30	Pitch



Cross Section Guth
Screwless Safety Holder

Easiest Two-Piece Holder to Install

MOST SIMPLE AND ATTRACTIVE HOLDERS MADE
DESIGN SAFETY CONSTRUCTION

THE DESIGN

THE NEW GUTH SCREWLESS SAFETY TYPE HOLDERS are made in both Ceiling and Suspension type in 4, 5 and 6 inch fitter to accommodate all sizes of lamps up to and including 500 watt. Made in both Plain and Ornamental designs.

THE SAFETY

Tipping an external ring slightly allows glass to slip into the holder, which has two flexible metal lugs properly shaped to fit contour of glassware.


The Safety Ring which has one flexible metal lug is then allowed to slip back into place and glassware is automatically centered and secure and needs no locking device as many safety holders require.

It is impossible to cause any breakage of glass by reason of expansion as there is no binding upon glassware.

CONSTRUCTION

Ceiling Type is made of 22 gauge B & S steel stamping, udyllite plated. The patented Guth Socket is furnished with $\frac{3}{8}$ " nipple to connect direct to fixture stud. Fitter is then screwed onto socket (which has running thread) and locked with large lock ring to assure double safety. All installation parts entirely concealed within the base.


Suspension type is made of same gauge steel and fitted with patented Guth Socket. Canopy is furnished with stamped steel bridge which can be screwed to lips of any standard outlet box or can be connected to fixture stud by means of coupling. Both fittings are furnished with each fixture. Knock outs in both ceiling flange and canopies for switches.



No. R3411
Steel
Finish—F59 (Statuary Bronze)
Length 36" O. A.

No.	Skt.	Fitter	Price	Code
R3411	Med.	4"	\$3.20	Poet
R3412	Med.	5"	3.30	Poi
R3413	Med.	6"	3.50	Polka
R3414	Mog.	6"	4.05	Poll

Additional Length Per Foot \$0.50 List



No. R3407
Steel
Finish—F59 (Statuary Bronze)
Length 36" O. A.


No.	Skt.	Fitter	Price	Code
R3407	Med.	4"	\$3.85	Poach
R3408	Med.	5"	3.95	Pod
R3409	Med.	6"	4.15	Poem
R3410	Mog.	6"	4.70	Posey

Additional Length Per Foot \$0.50 List

Glassware for Above Safety Holders Illustrated on Pages 8 and 9

PORCELAIN ENAMELED FLANGES WITH GLASSWARE


Patented



No. R1153—1 Light
Material—Steel
White Porcelain Enameled
Opal Glass

No.	Skt.	Watts	Glass	Size	Price	Code
R1153	Med.	75/100	G2146	10x4	\$4.30	Bowie
R1154	Med.	150/200	G2145	12x5	5.85	Brace
R1155	Med.	200	G2144	14x6	7.30	Brad
R1156	Mog.	300/500	G2144	14x6	7.75	Brag

Patented




No. R1216—1 Light
Material—Steel
White Porcelain Enameled
Polycased Glass

No.	Skt.	Watts	Glass	Size	Price	Code
R1216	Med.	75/100	G2571	10x4	\$6.30	Carp
R1217	Med.	100/150	G2576	12x4	7.85	Carry
R1218	Med.	200	G2573	14x6	10.50	Cart
R1219	Mog.	300/500	G2574	16x6	15.05	Carve

No. R1220—1 Light
Celestialite Glass

No.	Skt.	Watts	Glass	Size	Price	Code
R1220	Med.	75/100	G2563	10x4	\$10.75	Case
R1221	Med.	100/150	G2568	12x4	14.05	Cash
R1222	Med.	200	G2565	14x6	19.30	Cask
R1223	Mog.	300/500	G2566	16x6	28.85	Cast




No. R3385—1 Light
Material—Steel
White Porcelain Enameled
Radiant Glass

No.	Diam.	Glass	Size	Price	Code
R3385	11 1/4"	G1751	8"	\$10.90	Lucid
R3386	13 1/4"	G1752	10"	12.55	Lurid
R3387	15 1/2"	G1753	12"	17.30	Mere
R3388	18"	G1754	14"	24.00	Merge



No. R3382—1 Light
Material—Steel
White Porcelain Enameled
Radiant Glass Ball

No.	Skt.	Watts	Glass	Size	Price	Code
R3382	Med.	75/100	G1050	8x4	\$3.35	Larch
R3383	Med.	100/150	G1050	10x5	5.65	Loft
R3384	Med.	150/200	G1050	12x6	7.75	Lope



No. R1149—1 Light
Material—Steel
White Porcelain Enameled
Opal Glass

No.	Skt.	Watts	Glass	Size	Price	Code
R1149	Med.	75/100	G2141	7x4	\$3.30	Botch
R1150	Med.	150/200	G2142	9x5	4.75	Bough
R1151	Med.	200	G2143	11x6	6.15	Bout
R1152	Mog.	300/500	G2143	11x6	6.60	Bower

The EDWIN F. GUTH COMPANY

ST. LOUIS, U. S. A.

PORCELAIN ENAMELED FLANGES WITH GLASSWARE

Patented



No. R1208—1 Light
Material—Steel
White Porcelain Enameled
Polycased Glass

No.	Skt.	Watt	Glass	Size	Price	Code
R1208	Med.	75/100	G3321	8x4	\$ 5.30	Butt
R1209	Med.	150/200	G2624	10x5	7.55	Buxe
R1210	Med.	200	G2625	13x6	12.10	Buzz
R1211	Mog.	300/500	G2625	13x6	12.55	Bylaw

No. R1212—1 Light
Celestialite Glass

No.	Skt.	Watt	Glass	Size	Price	Code
R1212	Med.	75/100	G3322	8x4	\$ 8.60	Byway
R1213	Med.	150/200	G2621	10x5	11.75	Calve
R1214	Med.	200	G2622	13x6	18.30	Calx
R1215	Mog.	300/500	G2622	13x6	18.75	Caret

Patented



No. R1241—1 Light
Material—Steel
White Porcelain Enameled
Tan Decorated Glass

No.	Skt.	Watt	Glass	Size	Price	Code
R1241	Med.	75/100	G3726	8x4	\$4.75	Chant
R1242	Med.	100/150	G3727	12x5	6.95	Chaos
R1243	Med.	150/200	G3728	14x6	9.25	Chap

No. R1244—1 Light
Plain Glass

No.	Skt.	Watt	Glass	Size	Price	Code
R1244	Med.	75/100	G3722	8x4	\$4.10	Char
R1245	Med.	100/150	G3723	12x5	6.30	Chary
R1246	Med.	150/200	G3724	14x6	8.10	Chas



No. K2997—1 Light
Material—Steel
Ivory Porcelain Enameled
Cremax Glass

No.	Skt.	Watt	Glass	Size	Price	Code
K2997	Med.	75/100	G4178	9x4	\$4.30	Midge



No. K2998—1 Light
Material—Steel
White Porcelain Enameled
Radiant Glass

No.	Skt.	Watt	Glass	Size	Price	Code
K2998	Med.	75/100	G3073	9x4	\$4.30	Mulch

AGLITE

Porcelain Enamel Finish




Method of Installing Aglites and Bracket Types

Bridge (No. 1) is attached to any standard outlet with locknut furnished. Attach house wires to porcelain socket (No. 3) and clamp it in Canopy (No. 5).

Place canopy in position towards ceiling (for wall) with screws (No. 2), projecting through Keyhole slots (No. 4).

Turn canopy to right and tighten screws (No. 2) with screw driver.


Glass shade (No. 6) is then placed over Bakelite screw collar of socket and held in position by patented, internal threaded collar (No. 7). When light is installed no metal parts are visible.



No. A1064

Length, 7½" Over All
Diameter of Canopy, 4½"—Glass, G1382
Glass Size, 6¼x2¼"

	Socket	Price	Code
A1064	Keyless.....	\$2.75	Bibe
A1065	Pull Chain.....	3.60	Bier



No. A1077

With Adjustable Shade
Canopy 4½" Diam.—Glass, G3144
Extends 8¼" Over All

	Socket	Price	Code
A1076	Keyless.....	\$2.75	Birh
A1077	Pull Chain.....	3.60	Bison



No. A1075

With Adjustable Shade
Oval Canopy, 6x4¾"—Glass, G3144
Extends 8½" Over All

	Socket	Price	Code
A1072	Keyless without Plug.....	\$2.75	Bind
A1073	Pull Chain without Plug.....	3.60	Biped
A1074	Keyless with Plug.....	3.15	Birch
A1075	Pull Chain with Plug.....	4.00	Bird



No. A1066—1 Light Canopy Diameter 4½"

	Socket	Price	Code
A1066	Keyless.....	\$1.70	Bright
A1067	Pull Chain.....	2.30	Bigot

Ball Lamp not included

The AGLITE line of porcelain enamel units is ideal for use wherever cleanliness and sanitation are paramount. They harmonize perfectly with the interiors of white tiled bathrooms, kitchens, hospitals, laboratories, etc.

AGLITE canopies are stamped from a single piece of heavy gauge Armco iron and three coats of permanent porcelain enamel are then fused on at 1,600 degrees Fahrenheit in our electric porcelain enameling furnaces. This process insures a smooth surface that is self-insulated and is guaranteed not to check, peel, tarnish, rust or discolor.

No metal parts are visible, as AGLITES require no projecting set screws. The pure white glass shade is attached by means of a concealed metal screw collar which holds the glass firmly in place yet permits its adjustment in the bracket types so that the light may be directed wherever required.

A damp cloth rubbed once over the fixture makes it bright and clean.

Installation is made direct to house wires in five minutes with only screw driver and pliers, No canopy insulator is required. No splicing, soldering or taping of wires is necessary.

Standard colors—White, Solid Ivory, Solid Grey, Shaded Orchid, and Shaded Apple Green.

All parts furnished ready for installation.

The EDWIN F. GUTH COMPANY

Important Price List Revisions

Effective March 15, 1930

No. 24 Catalog

PAGE No. 10

AGLITES

A1064.....	List, \$2.45
A1065.....	List, 2.85
A1066.....	List, 1.20
A1067.....	List, 1.60
A1072.....	List, 2.80
A1073.....	List, 3.20
A1074.....	List, 3.30
A1075.....	List, 3.70
A1076.....	List, 2.70
A1077.....	List, 3.10

PAGE No. 11

A2978.....	List, 3.30
A2979.....	List, 3.70
A2980.....	List, 3.80
A2981.....	List, 4.20
A2982.....	List, 3.30
A2983.....	List, 3.70
A2984.....	List, 3.80
A2985.....	List, 4.20
A2986.....	List, 3.20
A2987.....	List, 3.60
A2988.....	List, 3.20
A2989.....	List, 3.60
A3346.....	List, 2.10
A3347.....	List, 2.70
A3348.....	List, 2.60
A3349.....	List, 3.20

OTHER INFORMATION

PAGE No. 2

BRASCOLITE CODE WORDS

W3463.....	Code: Vast
W3464.....	Code: Veda
W3465.....	Code: Venal
W3466.....	Code: Vend
W3467.....	Code: Venus
W3468.....	Code: Verge
W3469.....	Code: Verse
W3470.....	Code: Verst

The EDWIN F. GUTH COMPANY

ST. LOUIS, U. S. A.



Pat. No. 1251406
Trade Mark Reg.

Ideal for use in Bathrooms, Dressing Rooms, Kitchens, etc. Also in the Home, Hotel, Hospital, Club and Office.

Standard Colors—White, Solid Ivory, Solid Grey, Shaded Orchid and Shaded Apple Green.

NOTE If other colors are desired, write us for special prices which will be based on the quantity required.



A2981—1 Light
With Adjustable Shade
White Fluted Shade No. G3991
Ivory Fluted Shade No. G3992

Oval Canopy Size 6x4 $\frac{3}{8}$ "—Glass Size 5 $\frac{3}{4}$ x2 $\frac{1}{4}$ "

Ivory	White		Price	Code
A2982	A2978	Keyless without Plug	\$3.10	Tax
A2983	A2979	Pull without Plug	3.95	Tea
A2984	A2980	Keyless with Plug	3.50	Teak
A2985	A2981	Pull with Plug	4.35	Teal



A2986—1 Light
Ivory Glass No. G4089
Glass Size, 6 $\frac{1}{4}$ x2 $\frac{1}{4}$ "
White Glass No. G4088
Canopy 4 $\frac{1}{2}$ "—Length O. A. 7 $\frac{1}{2}$ "

Ivory	White		Price	Code
A2988	A2986	Keyless	\$3.10	Taut
A2989	A2987	Pull	3.95	Taw

A2976 and A2977
A1077 Round Canopy
with G3992 Shade

No.	Socket	Price	Cod
A2976	Keyless	\$3.10	Vet
A2977	Pull Chain	3.95	Vex

1. Screw coupling (No. 1) to stud.
2. Splice two wires from plug (No. 2) and the two extra pieces of No. 18 wire included with fixture, to house wires.
3. Remove socket from bracket. Place bracket in position over wall box. Pull the two No. 18 wires through hole (No. 3). Lock bracket in position with screw (No. 4) which can be reached with screw driver through open top of cup.
4. Attach No. 18 wires to socket (No. 5). Insert socket in cup and lock in position with Bakelite nut (No. 6).
5. It is not necessary to remove knob No. 7 to place socket in position.



No. A3349
Oval Canopy 6x4 $\frac{3}{8}$ "
Extends 3 $\frac{1}{2}$ " O. A.

No.	Socket	List	Code
A3346	Keyless without Plug	\$2.20	Glory
A3347	Turn Switch without Plug	2.90	Gnarl
A3348	Keyless with Plug	2.60	Gnash
A3349	Turn Switch with Plug	3.30	Gnome

Our heavy porcelain enamel is vitreous glass material, is non-porous and its electrical insulation resists penetration up to 1200 volts and guaranteed not to check, peel, rust, tarnish or discolor.

HOSPITAL AGLITES

Patented—Trade Mark Registered





Porcelain Enameled Units in a variety of designs for Hospital use.
Ideal for mounting in rooms over the head of the bed and table.
Types with night light, ceiling light, call switch and convenience plug.

No. A1085 --2 Lights
Candelabra
Canopy 9x3 $\frac{3}{4}$ "—Extends 7 $\frac{1}{2}$ "
Toggle Switch—Opal Glass

No.	Lts.	Control	Glass	Price	Code
A1084	2	Keyless	G3144	\$13.80	Blare
A1085	2	Pull	G3144	14.65	Blaze

No. A1083 --1 Light
Canopy 9x3 $\frac{3}{4}$ "—Extends 7 $\frac{1}{2}$ "
Toggle Switch—Convenience Outlet
Opal Glass

No.	Control	Glass	Price	Code
A1083	Keyless	G3144	\$13.50	Blank





Made of Armco Iron
Porcelain Enameled

No. A1087 --2 Lights
Candelabra
Diameter 5"—Extends 10"
Toggle Switch—Opal Glass

No.	Lts.	Control	Glass	Price	Code
A1086	2	Keyless	G3144	\$6.65	Blast
A1087	2	Pull	G3144	7.50	Blaze

No. A1089 --2 Lights
Candelabra
Canopy 5"—Extends 9"
Opal Glass

No.	Lts.	Control	Hght.	Glass	Price	Code
A1088	2	Keyless	7"	G3144	\$5.40	Bleak
A1089	2	Pull	7"	G3144	6.25	Bleat



No. A1080 --2 Lights
Canopy 10x4 $\frac{3}{8}$ "—Extends 8 $\frac{1}{2}$ "
Convenience Outlet
Opal Glass

No.	Lts.	Control	Glass	Price	Code
A1078	2	Keyless	2-G3144	\$14.05	Bite
A1079	2	1 Pull, 1 Keyless	2-G3144	14.90	Blab
A1080	2	Pull	2-G3144	15.75	Blade



No. A1081 --2 Lights
Canopy 10x4 $\frac{3}{8}$ "—Extends 8 $\frac{1}{2}$ "
Toggle Switch
Opal Glass

No.	Lts.	Control	Glass	Price	Code
A1081	2	Keyless	2-G3144	\$16.05	Blame
A1082	2	Pull	2-G3144	16.90	Bland

The EDWIN F. GUTH COMPANY

ST. LOUIS, U. S. A.

GUTH INDIRECT LIGHTING




R1105—1 Light
Steel

Ivory Porcelain Enameled Outside, White Inside
Canopy and Chain Finish—F12 (Tusk Ivory)

No.	Lts.	Skt.	Watt	Diam.	Lgth.	Price	Code
R1105	1	Med.	50/100	10"	36"	\$ 8.50	Blow
R1106	1	Med.	100/200	14"	36"	9.30	Blue
R1107	1	Mog.	300/500	18"	36"	11.65	Bluff
R1108	1	Mog.	500/1000	22"	48"	17.20	Blunt

Additional Length Per Foot \$0.75 List.



No. R1109—1 Light
Steel

Ivory Porcelain Enameled Outside, White Inside. Ornamental Band,
Canopy and Chain Finish—F12 (Tusk Ivory)

No.	Lights	Skt.	Watt	Diam.	Lgth.	Price	Code
R1109	1	Med.	50/100	10½"	36"	\$10.75	Blur
R1110	1	Med.	100/200	14½"	36"	11.80	Blurt
R1111	1	Mog.	300/500	18½"	36"	14.65	Blush
R1112	1	Mog.	500/1000	22½"	48"	20.70	Boar

Additional Length, Per Foot \$0.75 List

The REFLECTOR is made of one piece of Armco Iron porcelain enameled white inside and old ivory outside. Canopy and chain also finished in old ivory. The finish is permanent and guaranteed to maintain its original lustre indefinitely.


HIGH EFFICIENCY is assured due to the large reflecting area and all shadows are eliminated by the diffusing reflecting characteristic of the pure white glazed porcelain enamel which is obtained by special enameling glass baked on at a high, even temperature in electric enameling furnaces.

The EFFECT is an even distribution of soft, comfortable light without glare or shadows.


CLEANING AND RELAMPING are simplified through the means of suspending the bowl. Unhooking one of the supports permits instant access to reflector surface, or bowl may be removed entirely by unhooking the three supports. A damp cloth quickly removes all dirt or dust.

In HOSPITALS a patient may lie in bed with the room fully illuminated without eye fatigue.

GUTH HOSPITAL EQUIPMENT



For Shadow Slab



For Deep Slab



Reflector
Porcelain
Enameled



Heavy
Heat Resisting
Glass

No. R1101--1 Light
Brass

Finish -F22 (Brushed Brass)
G977--10x3 1/4" Porcelain Enameled Reflector
Holder and Receptacle Included. All White P. E.
11x13" Sheet Metal Box Included

No.	Lts.	Skt.	Diam.	Glass	Size	Price	Code
R1101	1	Keyless	14"	G3850	12"	\$30.00	Blond

Material-- Brass

Finish--F22 (Brushed Brass)

Box With Conduit Knockouts; 12" Diam.; 5" Deep


Steel Box Included

Crystal Roughed Inside Glass

Keyless Socket

No.	Lts.	Diam.	Depth	Glass	Size	Price	Code
R1097A	1	12 3/4"	6"	G3449	11"	\$26.50	Blind
R1098A	2	12 3/4"	6"	G3449	11"	29.00	Blink
R1099B	1	12 3/4"	6"	G3449	11"	25.00	Bliss
R1100B	2	12 3/4"	6"	G3449	11"	27.50	Bloat


Ideal for use in places having very low ceilings or in Psychopathic Wards.



Radiographic and X-Ray Room, Peralta Hospital, Oakland, California
Showing Lighting

By mounting this fixture in the corner of the X-Ray Room the electrical outlets are kept at the greatest possible distance from the aerals for the high frequency wires of the X-Ray equipment.

The outlet box should be placed not farther than 2" from the corner of the room and from two to four of these units are required in each room. This unit directs the light to the ceiling thus eliminating the direct rays of light from coming in contact with the operator's eyes.



No. R1091 --1 Light
Brass

Finish--F12 (Tusk Ivory)

Fits on Standard Outlet Box



Center of Box to be Placed 4" from Corner

No.	Extends	Height	Price	Code
R1091	10"	10"	\$37.50	Bleed

GUTH HOSPITAL EQUIPMENT

Flush Wall and Ceiling Fixtures

THE KAST WALL LIGHT UNIT



No. R1096—1 Light
Steel


Finish—Ivory Porcelain Enameled
Box 4" Deep, 9" Wide, 5 $\frac{3}{8}$ " High. Box Included
Socket—Keyless

No.	Depth.	Width	Hgt.	Glass	Size	Price	Code
R1096	4 $\frac{1}{4}$ "	9 $\frac{5}{8}$ "	6 $\frac{1}{8}$ "	G3856	9 $\frac{1}{8}$ x5 $\frac{1}{4}$	\$18.75	Blimp

The above fixture is used as a Night Light in Corridors and Patients' room.

In Corridors the light is placed in the walls, approximately 18" from the floor, at intervals of from 20 to 30 feet, which gives satisfactory illumination and eliminates the possibilities of any light coming thru the transom and disturbing the Patient.

In Patient's Room the light is placed approximately one foot from the floor in a position where it will be out of the line of vision of the Patient. This will produce sufficient illumination for the Nurse to see to inspect the room and will not disturb the Patient.




No. R3377—1 Light
Brass

Finish—F59 (Statuary Bronze)
Mounted in Standard 5 Gang Switch Box
Box not Included

No.	Skt.	Hgt.O.A.	Width	Glass	Size	Price	Code
R3377	Keyless	12 $\frac{1}{4}$ "	5"	G4451	10 $\frac{1}{2}$ x3 $\frac{1}{4}$	\$40.00	Gnu

For corridors of all types of buildings. Provides a subdued light for all night use, and is so constructed that the light is distributed in all directions. Mount 18 to 24 inches above floor or can be mounted over doors. Perfect distribution without glare.



No. R1093
Brass

Finish—F22 (Brushed Brass)
Fixture Only—No Socket or Reflector
Amber Glass

No.	O. A. Diam.	Glass	Size	Price	Code
R1093	8"	G3853	6"	\$ 7.50	Bless
R1094	10"	G3854	8"	10.00	Blest
R1095	12"	G3855	10"	12.50	Blew



No. R1092—1 Light
Steel

Finish—Ivory Porcelain Enameled
Box 3" Deep, 7 $\frac{1}{4}$ " High, 4 $\frac{1}{2}$ " Wide. Box Included.


No.	Skt.	Depth	Width	Hgt.	Glass	Size	Price	Code
R1092	Keyless	3 $\frac{1}{4}$ "	4 $\frac{5}{8}$ "	7 $\frac{3}{4}$ "	G3857	4x3 $\frac{3}{8}$	\$15.00	Blend

The NEW NOSHADOLITE

Patent No. 1663656


Trade Mark Registered

1. The reflectors are firmly and rigidly attached to the ring at equi-distant points by heavy cast brass fittings at the correct angle, and cannot get out of alignment.
2. Each reflector is equipped with 50 watt type "A" (inside frosted) Mazda Lamp.
3. The reflectors are made of heavy spun brass with ventilated hood and socket. They are silver plated, highly polished, then given a double coat of special heat resisting varnish on reflector surface and dull silver on outside. The curves of the parabolic reflectors have been scientifically plotted to permit 85% of the light rays emanating from the lamps, to be focused with greatest intensity on the 18 inch field of area.
4. Attached to the bottom of the reflector is a hinged frame holding two glass insulating plates, locked with knurled heat set screws, making it an easy matter to clean reflectors.
5. Double glass plates of heat resisting glass with intervening space ventilated stops the radiant and reflected heat so that the increased temperature is only 2 degrees. Also protects the polished surface of reflectors from discoloration, oxidation, or disintegration caused by the fumes of iodine or other solutions in surgical procedure.



Noshadolite is made of brass, finished in dull nickel, or may be finished in white enamel, if desired, at an extra charge.

The fixture is furnished wired either for one or two circuits. A single or two circuit switch can be provided attached to the center stem.



No.	Lights	Sockets	Diam.	Lgth.	Price	Code
R3017	8	Med.	72"	60"	\$310.00	Team
R3018	16	Med.	72"	60"	325.00	Tear

Additional Length \$3.00 List Per Foot

NOTE: To secure the best results, the fixture should be mounted 8'6" from the floor to the reflector ring. This will insure the proper focusing of the reflected light beams on the operating field. For this reason the ceiling height must be given when ordering. The voltage of current in use by the hospital should also be given.

The NEW NOSHADOLITE



*St. Mary's Hospital
Rochester, Minn.*



*Noshadolite illustrating the great volume of light
produced and concentrated on an 18" area of the
operative field.*

WHEN eight parabolic reflectors, placed at equi-distant points on a six-foot ring, are focused on a given field, the illumination is intense and all shadows are practically eliminated. The source of light is so near the ceiling that no increase of heat is noticeable at the level of the operator's head. Beams of light at eight sources meeting at an angle of 45 degrees eliminates the shadows which obscure the depth of certain wounds. This will be especially appreciated in certain common duct operations, pelvic procedures, attempts to reach the root of the Gasserian ganglion, and others of like nature.

The satisfaction of having a known quality and constant quantity of light at all times is one which cannot be fully appreciated by the operator, who has not had it in his possession.

The Noshadolite is the most scientifically designed fixture for the illumination of the surgical operative field that has ever been offered the medical profession. The fixture consists of a ceiling plate, canopy, connecting pipe, six foot reflector ring, eight parabolic reflectors attached to the ring at the correct angle, set at equi-distant points on the ring, universal joint (ball and socket mechanism) in the center of the ring, and switch and control handle in connection with the Universal joint by means of which the angle of the reflector ring may be instantly changed. The lamps in canopy are for general illumination.

GUTH PORCELAIN E

GUTH FLANGE

Illustrating Color



See Page 6 for
Description, Finishes
and Prices

K1166



A3349



A1075



A1064


AGL

FIXTURES M
BEAUTIF
T

NAMELED PRODUCTS

Combinations

GUTH FLANGE



Note Simplicity
of Construction }

K1166

ITE


W MADE IN
SHADED
TS



A2988



A1067



A2977

PRICES ON PAGES TEN AND ELEVEN

Trade Marks Registered

Single or Multiple Lamp Lighting Unit



No. R1102—1 Light
Steel

White Porcelain Enameled Reflector
Clear and Opal Glass

No.	Lts.	Skts.	Watts	Diam.	Glass	Size	Price	Code
R1102	1	Med.	40/100	10"	G236	8"	\$ 8.45	Blood
R1103	2	Med.	100/150	14"	G235	9"	12.15	Bloom
R1104	3	Med.	100/150	14"	G235	9"	13.65	Blot

Additional lights in the larger size fixtures are for the purpose of night or special requirements in addition to regular service light.

MAGIC-LITE

Trade Mark Reg.
Pat. No. 1663653—U. S. Pat. Office



No. K1160—1 Light
Steel

Reflector—White Porcelain Enameled with Moulding
Finish—Leather Bronze
Opal Glass

No.	Lts.	Skts.	Watts	Diam.	Glass	Size	Price	Code
K1160	1	Med.	50/100	11"	G2141	7x4"	\$6.15	Bran
K1161	1	Med.	100/200	15"	G2142	9x5"	7.10	Brand
K1162	1	Mog.	300	19"	G2143	11x6"	9.20	Brat

Magic-Lite is completely enclosed, making it dust-proof, highly efficient, giving a large volume of light without glare.


The patented spring holder makes cleaning easy—no set screws. Globe is held securely and cannot fall or rattle in holder.

Portable Operating Room Floor Lamp

Opening in shade for projecting
beam of light to head mirror



No. R3488
To be attached at A



No. R3415—1 Light

Brass
Spun Aluminum Shade
Polished Nickle Finish

No.	Skt.	Height Extended	Price	Code
R3415	Key	72"	\$50.00	Spicy

No. R3488—1 Light

Stamped Steel Half-Eye Shade with Opening in Top
Height Extended 64" O. A.

No.	Price	Code
R3488	\$50.00	Speck

Otherwise same as above

MAZE-LITE

Trade Mark Reg. — Patented




No. M1364—1 Light
Brass

Finish—F206 (Ivory & Poly)

No.	Socket	Watts	Diam.	Glass	Size	Price	Code
M1364	Keyless	100/150	12 1/2"	G2275	6 1/4"	\$8.50	Conic

INDIRECT UNIT



Gives a Soft, Totally
Indirect Light

No. R3378—1 Light
Steel

White Porcelain Enameled Inside. Ivory Outside

No.	Skt.	Watt	Diam.	Lgth.	Price	Code
R3378	Med.	75	8"	11"	\$ 7.30	Helve
R3379	Med.	100	10"	12"	8.15	Heron
R3380	Med.	150	12"	12½"	10.00	Hilt
R3381	Med.	200	14"	13"	12.40	Hint




No. R1145—1 Light
Steel

Finish—White Porcelain Enamel
Length 48" O. A.
Opal Diffusing Glass

No.	Skts.	Watts	Glass	Size	Price	Code
R1145	Med.	75/100	G2146	10x4"	\$ 9.85	Borne
R1146	Med.	150/200	G2145	12x5"	11.40	Bosh
R1147	Med.	200	G2144	14x6"	12.85	Bosom
R1148	Mog.	300/500	G2144	14x6"	13.15	Boss

CLINIC - LITE

Patent No. 1663653
Trade Mark Reg.




No. W1116—1 Light
Steel

Finish—White Porcelain Enamel
Radiant Glass

No.	Skt.	Watt	Diam.	Glass	Size	Price	Code
W1116	Med.	100/150	14"	G627	9"	\$21.00	Body
W1117	Med.	200	20"	G628	11½"	26.00	Boer
W1118	Mog.	300/500	26"	G629	16"	42.00	Bogey

Guaranteed not to check, peel, tarnish, rust or discolor, Steel-white porcelain enameled with radiant diffusing Glass Bowl.



The Clinic-Lite has proven most efficient and practical for operating rooms. The white porcelain finish and shape of the reflector provides a large volume of semi-concentrated diffused light on the table or chair.

No. W1113—4 Lights
Steel

Finish—White Porcelain Enamel
Radiant Glass

No.	Skt.	Watt	Diam.	Ltg.	Glass	Size	Price	Code
W1113	Med.	100/150	14"	60"	G627	9"	\$37.00	Board
W1114	Med.	200	20"	60"	G628	11½"	44.00	Boche
W1115	3Med. 1Mog.	300 500	26"	60"	G629	16"	62.00	Bode

Additional Length Per Foot \$2.00 List

DIRECTIONAL SIGNS



No. R1247--1 Light
Brass

Finish F22 (Brushed Brass)
Ruby Glass Panel Letters Etched in White
Recessed Box and Socket Not Included


No.	Width	Hgt.	Glass	Size	Letter	Guard	Price	Code
R1247	10 1/4"	5 1/4"	G1530	8x4	3"	Yes	\$14.25	Chasm
R1248	11 1/2"	9 1/2"	G1532	10x8	6"	Yes	22.00	Chat
R1249	10 1/4"	5 1/4"	G1530	8x4	3"	No	9.25	Cheap
R1250	11 1/2"	9 1/2"	G1532	10x8	6"	No	15.50	Cheat



No. R1251--1 Light
Brass

Finish F22 (Brushed Brass)
Ruby Glass Panel—Letters Etched in White
Keyless Socket


No.	Width	Lgth.	Glass	Size	Letter	Price	Code
R1251	8 1/2"	30"	G1530	8x4	3"	\$13.00	Check
R1252	11"	30"	G1532	10x8	6"	20.00	Cheek



No. R1256--1 Light
Brass

Finish—F22 (Brushed Brass)
Ruby Glass Panel—Letters Etched in White
Extends 4" O. A.

No.	Width	Hgt.	Glass	Size	Letter	Price	Code
R1256	10"	6"	G1530	8x4	3"	\$15.25	Chess
			G3454	Guard			
R1257	12 1/2"	10 1/2"	G1532	10x8	6"	23.50	Chest
			G3455	Guard			
R1258	8 1/2"	4 1/2"	G1530	8x4	3"	10.25	Chew
R1259	11"	9"	G1532	10x8	6"	17.25	Chick



No. R1255 1 Light
Brass

Finish F22 (Brushed Brass)
Ruby Glass Ball—Letters Etched in White


No.	Ext.	Glass	Size	Letter	Price	Code
R1255	8"	G1533	6x3 1/4"	2"	\$7.30	Chef



No. R1253--1 Light
Brass

Finish—F22 (Brushed Brass)
Ruby Glass Panels—Letters Etched in White

No.	Width	Ext.	Hgt.	Glass	Size	Letter	Price	Code
R1253	5"	3 3/4"	8 1/2"	G2883	8x2 3/4"	1 1/2"	\$11.00	Cheep



No. R1298--1 Light
Brass & Steel

Finish—F391 (Plated Bank Bronze)
Porcelain Enameled Reflector
Brown Outside—White Inside

No.	Socket	Extends	Reflector	Price	Code
R1298	Pull	19"	9" long	\$11.25	Clam

DIRECTIONAL SIGNS

Guth One Piece
Porcelain Enameled
Flange with
Glassware



No. R3389—1 Light
Steel

Finish—Porcelain Enamel
Ruby Glass—Raised Ruby Letters on Black

No.	Lgth.	Glass	Size	Letter	Price	Code
R3389	8"	G2763	6x3 1/4"	3"	\$6.55	Hulk

No. R3390—1 Light
Steel

Finish—Porcelain Enamel
Ruby Glass—Black Letters

No.	Lgth.	Glass	Size	Letter	Price	Code
R3390	7 1/4"	G4241	5 1/4 x 3 1/4"	2 3/4"	\$4.90	Humid



No. R1297—2 Lights

Finish—F391 (Plated Bank Bronze)

Rippled Aluminum Lined—Ground Glass Diffusing Plates

No.	Skt.	Ext.	Reflector	Price	Code
R1297	Twin Pull	12"	15" Long	\$22.50	Claim



No. R3391—1 Light
Steel

Finish—Porcelain Enamel
Ruby Glass—Black Letters

No.	Lgth.	Glass	Size	Letter	Price	Code
R3391	7 1/4"	G4665	5 1/4 x 3 1/4"	2 3/4"	\$4.90	Hurl

No. R3392—1 Light
Steel

Finish—Porcelain Enamel
Ruby Glass—Black Letters


No.	Ext.	Glass	Size	Letter	Price	Code
R3392	7 1/4"	G4664	5 1/4 x 3 1/4"	2 3/4"	\$4.90	Jalap

The EDWIN F. GUTH COMPANY

ST. LOUIS, U. S. A.

GUTH - GALAX UNIT


Design and Holder Patented



White Glazed
Porcelain Reflecting
Surface

Opalescent Glass

Dense Glass



No. R3489—1 Light
Steel—Porcelain Enameled
Finish—Reflector White with Outer Edge Ivory
Galax Glass

No.	Skts.	Watts	Diam.	Lgth.	Glass	Size	Price	Code
R3489	Med.	75/100	12½"	7¼"	G5039	8¼x4"	\$ 7.25	Tease
R3490	Med.	200	17"	9½"	G5040	11¾x5"	12.50	Tech
R3491	Mog.	300	21"	11½"	G5041	14x6"	17.50	Tecum

Guth-Galax Unit, a combination of the New Galax Glass and a porcelain enameled reflector produces an abundance of well diffused light on the working plane—Galax Glass is both glareless and shadowless. Part of the light from Guth-Galax is diffused and transmitted through the bottom of the globe. The rest of the light is reflected back through the sides and reflected from the perfectly glazed porcelain enameled reflector, which directs all of the useful light to the working plane.

Ideal for Schools, Offices, Stores, Hospitals and Public Buildings.

E-Lite

Pat. No. 53520 Trade Mark Reg.



No. E3419—1 Light
Brass
Finish—F12 (Tusk Ivory)
Opal Glass

No.	Skt.	Glass Size	Price	Code
E3419	Keyless	{ G1060-13" G1122-6" }	\$8.50	Spice
Canopy Switch \$1.50 List Additional				



No. R3045—1 Light
Brass
Finish—F625 (Tusk Ivory and Pastel Gold)
Translucent Pressed Glass Bowl

No.	Skt.	Watts	Lgth.	Glass	Size	Price	Code
R3045	Med.	75/150	18"	G1367	9" Diam.	\$4.70	Kedge

No Package Charges, Prices F. O. B. St. Louis

The EDWIN F. GUTH COMPANY

ST. LOUIS, U. S. A.

INDUSTROLITE

Pat. Pend. Trade Mark Reg.

And Wire Guards




No. K1127—1 Light

Steel

Finish—Porcelain Enameled
Green Outside White Inside

No.	Skt.	Watts	Diam.	Price	Code
K1127	Med.	50/100	10"	\$4.50	Bomb
K1128	Med.	150	13"	5.25	Bond
K1129	Med.	200	16"	7.50	Bone
K1130	Mog.	300	16"	8.75	Bonus



No. R1196—1 Light

Steel

Finish—Porcelain Enameled
Opal Glass

Guard Heavy Gauge Galvanized Wire
Electric Welded Attached to Ceiling—Free From Fixture
Diam.

No.	Skt.	O. A.	Guard	Size	Glass	Size	Price	Code
R1196	Med.	14"	G3678	12x11	G2146	10x4	\$ 9.35	Buoy
R1197	Med.	16"	G3679	14x12	G2145	12x5	11.75	Burly
R1198	Med.	18"	G3680	16x14	G2144	14x6	14.40	Burn
R1199	Mog.	18"	G3680	16x14	G2144	14x6	14.85	Burr




No. R1139 1—Light

Brass

Finish—F22 (Brushed Brass)
Opal Glass

No.	Socket	Lgth.	Glass	Size	Price	Code
R1139	Keyless	48"	G1382	6 1/4 x 2 1/4	\$4.30	Booth



No. G2749

GALVANIZED WIRE GUARD ONLY

No.	Inside Diam.	Fit Reflector	Price	Code
G2749	10"	K1127	\$6.25	Busz
G2750	13"	K1128	7.00	Buta
G2751	16"	K1129	8.00	Butb

The EDWIN F. GUTH COMPANY

ST. LOUIS, U. S. A.

The GUTH-FAN

U. S. Patent No. 1699201. Other U. S. and For. Pats. Pending
Trade Mark Registered in U. S. and Numerous Foreign Countries



GUTH FAN

Length—27 Inch O. A.

Finish—F654 (Beige) or Finish—F663 (Primo)

	Price	Code
For 110 Volt, 40 Cycles.....	\$65.00	Fule
For 110 Volt, 50 Cycles.....	65.00	Fumb
For 110 Volt, 60 Cycles.....	65.00	Fume
For 220 Volt, 60 Cycles.....	65.00	Fund
For 32 Volt, D. C.....	65.00	Fune
For 115 Volt, D. C.....	65.00	Fungi
For 230 Volt, D. C.....	70.00	Furi

Pull Switch, Price \$1.25 Each Additional



No. R3244—3 Lights
Material—Steel. Finish—F666(Ivory)
Diameter—18 Inch Length—27 Inch, O. A.
G4806—18 Inch Alabaster Glass Bowl

Design No.	Lts.	Fixture Price	Fan Price	Complete Price	Complete Code
R3244	3	\$22.25	\$65.00	\$87.25	Land
R3245	4	23.50	65.00	88.50	Lucre
R3246	6	26.00	65.00	91.00	Mark

Ventilation promotes better health. The circulation of air not exceeding 300 feet per minute velocity will not cause injurious drafts and will promote dissipation of heat from the body by evaporation of perspiration.

Comprehensive experiments conducted with many subjects has proven that the increase of body temperature causes restlessness, irritability, palpitations of the heart, soreness of the eyes, laziness and confusion.

Guth-Fan drawing air upward at a low velocity throwing it outward toward the walls at an average speed of 300 feet per minute 3 feet from the center of the fan will carry very little dust. Most every other type of mechanical fan lifts and circulates dust which is a most dangerous element to health.

The EDWIN F. GUTH COMPANY

ST. LOUIS, U. S. A.

The GUTH-FAN, a revolutionary principal of moving air wherein the supply is drawn upward in a column and forced outward from a revolving disc in a conoidal shape below the horizontal line. The air movement is continuous in all directions to the walls, downward, then back towards the center of the room and up to the fan blade. It does not materially move the warmer air at the ceiling. It revitalizes by reason of the horizontal strata, moving the air through all open spaces and by circulating only the fresh cool drawn up from below the level of the blade. It effectively cools the body through constant and general movement of all the air that is occupied. It does not pick-up and consequently load the air with dust which is a most harmful element to respiratory organs.

The GUTH-FAN permits of the application of good lighting units, as the fan discs does not cause flickering light. The illumination intensities, distribution and principal can be definitely controlled and built on to the unit so that the usual eye strain and weariness result from other types of fan fixtures is eliminated. When installed over desks, papers are not blown away and when installed over a dining room table, food is not cooled, nor are the food odors blown towards you. The room center is the proper place for efficient attractive illumination, and also the best location for an air circulator, so that the joint problem is solved with the GUTH-FAN.




No. R3256—4 Lights
Steel—Indirect

Finish—F666 (Ivory)
White Porcelain Enameled Inside
Diam. 17½". Length 27" O. A.

Design No.	Lights	Fixture Price	Fan Price	Complete Price	Complete Code
R3256	4	\$16.50	\$65.00	\$81.50	Jowl
R3257	6	19.00	65.00	84.00	Judge

Pull Switch, \$1.25 Each Additional
Extra Length, \$0.50 Per Foot Additional



No. R3205—4 Lights
Brass
Finish—F639 (Pewter and Gold)
Alabaster Cased Glass Panels
Length 27" O. A.

Design No.	Lts.	Diam.	Glass No.	Fixture Price	Fan Price	Complete Price	Complete Code
R3205	4	17	12-G4760	\$32.50	\$65.00	\$ 97.50	Holla
R3206	6	21	12-G4761	47.00	65.00	112.00	Holly

Pull Switch, \$1.25 Each Additional
Extra Length, \$1.00 Per Foot Additional

U. S. Pat. 1699201. Other U. S. and For. Pat. Pending
"Guth-Fan" Trade Mark Reg. in U. S.
and Numerous Foreign Countries

The EDWIN F. GUTH COMPANY

ST. LOUIS, U. S. A.

No. R3361—1 Light

Iron

Finish—F578 (Painted Black)

Light Amber Cathedral Glass Panels

No.	Lgth. OA	Diam. OA	Price	Code
R3361	35"	17"	\$112.50	Grip

No. R3362—1 Light

Copper

Finish—F374 (Oiled Antique Bronze)

Light Amber Cathedral Glass Panels

No.	Lgth. OA	Diam. OA	Price	Code
R3362	35"	17"	\$146.25	Grist



No. R 3359—1 Light

Iron

Finish—F578 (Painted Black)

Wall Plate 6"x14"

Light Amber Cathedral Glass Panels

No.	Htg. OA	Extends	Price	Code
R3359	39"	17½"	\$140.50	Grin

No. R3360—1 Light

Copper

Finish F374 (Oiled Antique Bronze)

Wall Plate 6"x14"

Light Amber Cathedral Glass Panels

No.	Htg. OA	Extends	Price	Code
R3360	39"	17½"	\$197.00	Grind

No. R3363—1 Light

Cast Iron

Finish—F578 (Painted Black)

Wall Plate 5½"x11½"

Radiant Glass Ball

No.	Htg.	Extends	Glass	Size	Price	Code
R3363	22½"	13"	G1050	10x5	\$17.00	Groat

No. 3364—1 Light

Bronze

Finish—F374 (Oiled Antique Bronze)

Wall Plate 5½"x11½"

Radiant Glass Ball

No.	Htg.	Ext.	Glass	Size	Price	Code
R3364	22½"	13"	G1050	10x5	\$45.00	Grog



The EDWIN F. GUTH COMPANY

ST. LOUIS, U. S. A.



No. R3354—1 Light
Iron

Finish—F578 (Painted Black)
Crackeled Amber Cylinder

No.	Lgth. OA	Glass	Size	Price	Code
R3354	19"	G3616	6x9	\$46.75	Grasp
R3355	25"	G3615	8x12	62.00	Grebe

No. R3356—1 Light
Bronze & Copper

Finish—F374 (Oiled Antique Bronze)
Crackeled Amber Cylinder

No.	Lgth. OA	Glass	Size	Price	Code
R3356	19"	G3616	6x9	\$70.25	Greed
R3357	25"	G3615	8x12	87.75	Greet



No. R3350 -1 Light
Iron

Finish—F578 (Painted Black)
Crackeled Amber Cylinder

No.	Htg. OA	Ext. OA	Glass	Size	Price	Code
R3350	18 1/2"	10 1/4"	G3616	6x9	\$58.50	Goad
R3351	25 1/2"	14 1/4"	G3615	8x12	74.50	Gorge

No. R3352—1 Light
Bronze & Copper

Finish—F374 (Oiled Antique Bronze)
Crackeled Amber Cylinder

No.	Htg. OA	Ext. OA	Glass	Size	Price	Code
R3352	18 1/2"	10 1/4"	G3616	6x9	\$ 84.50	Gorse
R3353	25 1/2"	14 1/4"	G3615	8x12	107.50	Goth



No. R3358—1 Light
Cast Bronze

Finish—F374 (Oiled Antique Bronze)
Wall Plate 6"x8"

Radiant Glass Ball

No.	Htg. OA	Ext. OA	Glass	Size	Price	Code
R3358	27"	14"	G1050	12x6	\$168.75	Grime

The EDWIN F. GUTH COMPANY

ST. LOUIS, U. S. A.



No. R3365—1 Light
Brass & Iron
Finish—F24 (Ebony & Old Gold)
Crystal Roughed Inside Cylinder

No.	Lgth.	Glass	Size	Price	Code
R3365	36"	G3959	4x10	\$24.00	Grope
R3366	48"	G3971	6x12	27.00	Grot
R3367	60"	G3972	8x16	35.00	Grout



No. R3368—3 Lights
Brass & Iron
Finish—F24 (Ebony & Old Gold)
Crystal Roughed Inside Cylinders

No.	Lts.	Lgth.	Ceil. Diam.	Glass	Size	Price	Code
R3368	3	11"	14½"	G3958	4x9	\$39.50	Gulch
R3369	4	11"	14½"	G3958	4x9	46.00	Gust




No. R3370—1 Light
Brass & Iron
Finish—F24 (Ebony & Old Gold)
Crystal Roughed Inside Cylinder

No.	Lgth.	Ceil. Diam.	Glass	Size	Price	Code
R3370	11"	7½"	G3958	4x9	\$13.50	Hart


The EDWIN F. GUTH COMPANY

ST. LOUIS, U. S. A.



No. R 3375—1 Light
Brass & Iron
Finish—F24 (Ebony and Old Gold)
Crystal Roughed Inside Cylinder

No.	Htg.	Extends	Glass	Size	Price	Code
R3375	15"	7"	G3959	4x10	\$25.25	Helot



No. R3371--5 Lights
Brass & Iron
Finish—F24 (Ebony & Old Gold)
Crystal Roughed Inside Cylinders

No.	Lts.	Lght.	O. A. Diam.	Glass	Size	Price	Code
R3371	5	84"	26"	1-G3967	5x15	\$144.00	Hasp
				4-G3962	4 1/2 x 12		
R3372	6	84"	26"	1-G3967	5x15	168.00	Hasty
				5-G3962	4 1/2 x 12		
R3373	6	96"	36"	1-G3972	8x16	202.50	Havoc
				5-G3971	6x12		
R3374	7	96"	36"	1-G3972	8x16	230.00	Hazy
				6-G3971	6x12		

No Package Charges, Prices F. O. B. St. Louis

BRASCOLITE

Patented - Trade Mark Reg.



No. R1017—5 Lights
Material—Compo
Finish—C7 (Verde Gold)
Extends 16"—Height 28"

No.	Control	Trim.	Price	Code
R1017	Keyless	Candle	\$40.00	Barb

No. W1018—4 Lights
Compo
Finish—C7 (Verde Gold)
Porcelain Enameled Reflector
Length 60" O. A.
Tan Etched Glass

No.	Lts.	Skt.	Watts	Diam.	Glass	Size	Price	Code
W1018	4	Med.	100/150	17"	G1224	10"	\$ 66.00	Bard
W1019	5	Med.	200	21"	G1225	12"	80.00	Bare
W1020	5	1 Mog.	300	21"	G1225	12"	80.00	Bran
W1021	7	4 Med. 1 Mog. 6 Med.	300/500	25"	G1226	14"	113.00	Barn

No. W1022—1 Light
Fixture Without Husks Above Body
Tan Etched Glass

No.	Lts.	Skt.	Watts	Diam.	Glass	Size	Price	Code
W1022	1	Med.	100/150	17"	G1224	10"	\$56.25	Base
W1023	1	Med.	200	21"	G1225	12"	67.00	Basic
W1024	1	Mog.	300	21"	G1225	12"	67.00	Bass
W1025	1	Mog.	300/500	25"	G1226	14"	93.50	Baste


Additional Length Per Foot \$1.50 List

No. W1026—1 Light
Fixture up to Arrow
Tan Etched Glass

No.	Lts.	Skt.	Watts	Diam.	Glass	Size	Price	Code
W1026	1	Med.	100/150	17"	G1224	10"	\$36.00	Bathe
W1027	1	Med.	200	21"	G1225	12"	45.00	Bawl
W1028	1	Mog.	300	21"	G1225	12"	45.00	Bazar
W1029	1	Mog.	300/500	25"	G1226	14"	67.00	Bead

The EDWIN F. GUTH COMPANY

ST. LOUIS, U. S. A.



No. R1036—1 Light Compo

Finish—F17 (Sprayed Old Bronze)
Tan Etched Glass

No.	Skt.	Holder	Lgth.	Glass	Size	Price	Code
R1036	Med.	3 1/4"	48"	G2269	6x3 1/4	\$19.65	Bedew
R1037	Med.	4"	48"	G1128	8x4	21.85	Bedim
R1038	Med.	5"	48"	G1129	10x5	27.05	Beech
R1039	Med.	6"	48"	G1130	12x6	30.25	Beef
R1040	Mog.	9"	48"	G1131	14x9	42.20	Been

Additional Length Per Foot \$0.75 List

No. R1041—1 Light Fixture up to Arrow

Compo
Finish—F17 (Sprayed Old Bronze)
Tan Etched Glass

No.	Skt.	Holder	Lgth.	Glass	Size	Price	Code
R1041	Med.	3 1/4"	11"	G2269	6x3 1/4	\$12.15	Bear
R1042	Med.	4"	13"	G1128	8x4	14.35	Beet
R1043	Med.	5"	15"	G1129	10x5	19.55	Befit
R1044	Med.	6"	18 1/2"	G1130	12x6	22.25	Beget
R1045	Mog.	9"	21"	G1131	14x9	34.20	Begin


No. R1032—1 Light Compo

Finish—C17 (Sprayed Old Bronze)
Tan Etched Glass

No.	Skt.	Watts	Diam.	Lgth.	Glass	Size	Price	Code
R1032	Med.	100/150	17"	60"	G1129	10x5	\$48.90	Bear
R1033	Med.	200	21"	60"	G1130	12x6	60.35	Beat
R1034	Mog.	300	25"	72"	G1131	14x9	79.50	Beau

Additional Length Per Foot \$1.25 List

Ventilated Holder



No. R1322—1 Light
Brass & Steel
Finish—F22 (Brushed Brass)
Length—48" O. A.
Radiant Glass

No.	Skt.	Watts	Glass	Size	Price	Code
R1322	Med.	75/100	G3722	8x4	\$ 5.90	Clink
R1323	Med.	100/150	G3723	12x5	8.05	Clip
R1324	Med.	200	G3724	14x6	10.10	Cloak
R1325	Mog.	300/500	G3724	14x6	10.70	Clock

No. R1342—7 Lights
Brass
Finish—F333 (Old Bronze & Polychrome)
Polycased Glass

No.	Skts.	Lgth.	Glass	Size	Price	Code
R1342	7 Med.	72"	G2625	13x6	\$44.65	Coax
R1343	{ 6 Med. 1 Mog.	72"	G2626	16x8	60.75	Coca

Additional Length \$1.50 List Per Foot

DECORATIVE PENDANT FIXTURES

No. R1344—1 Light



Brass

Finish—F333 (Old Bronze & Polychrome)

Polycased Glass

No.	Skts.	Lgth.	Glass	Size	Price	Code
R1344	Med.	48"	G2624	10x5	\$23.35	Coch
R1345	Med.	48"	G2625	13x6	28.15	Cocoa
R1346	Mog.	60"	G2626	16x8	42.15	Code

Additional Length Per Foot \$1.50 List



No. R1351—1 Light


Brass

Finish—F333 (Old Bronze & Polychrome)

Polycased Glass

No.	Skts.	Lgth.	Glass	Size	Price	Code
R1351	Med.	48"	G3321	8x4	\$13.10	Cold
R1352	Med.	48"	G2624	10x5	15.60	Cole
R1353	Med.	48"	G2625	13x6	20.40	Colic
R1354	Mog.	60"	G2626	16x8	32.20	Colly

Additional Length Per Foot \$1.00 List



No. R1347—1 Light

Brass

Finish—F333 (Old Bronze & Polychrome)





Polycased Glass

No.	Skts.	Glass	Size	Price	Code
R1347	Med.	G3321	8x4	\$10.55	Coign
R1348	Med.	G2624	10x5	12.80	Coil
R1349	Med.	G2625	13x6	18.20	Coin
R1350	Mog.	G2626	16x8	29.40	Coke

Porcelain Enameled

ST. LOUIS, U. S. A.

Switch Plates



STANDARD PUSH BUTTON PLATES

Type	No. Gangs	List	Code
K1171	Single	\$0.30	Breve
K1172	Two	.72	Brew
K1173	Three	1.08	Bribe

TOGGLE SWITCH PLATE


Type	No. Gangs	List	Code
K1177	Single	\$0.30	Brink
K1178	Two	.72	Briny
K1179	Three	1.08	Broad

STANDARD FLUSH-RECEPTACLE PLATE

Type	No. Gangs	List	Code
K1183	Single	\$0.30	Brook
K1184	Two	.72	Broom
K1185	Three	1.08	Bruin


TELEPHONE PLATE

Type	No. Gangs	List	Code
K1168	Single	\$0.30	Break
K1169	Two	.72	Bleam
K1170	Three	1.08	Breed




STANDARD COMBINATION PLUG and PUSH BUTTON PLATE

Type	List	Code
K1195	\$0.72	Bunk




COMBINATION PLUG AND TOGGLE PLATE

Type	List	Code
K1193	\$0.72	Bunco




COMBINATION DUPLEX and TOGGLE PLATE

Type	List	Code
K1187	\$0.72	Buck




STANDARD DUPLEX PLATE

Type	No. Gangs	List	Code
K1189	Single	\$0.30	Bulge
K1190	Two	.72	Bulky
K1191	Three	1.08	Bull



STANDARD TWIN PLATE

Type	List	Code
K3393	\$0.30	Lade



STANDARD TRIPLET PLATE

Type	List	Code
K3394	\$0.30	Lank

Standard package consists of 25 Gangs or over and may be assorted.

Standard Colors—White, Ivory or Gray. Also furnished in Pink, Blue, Brown and Green at 10 cents list extra per plate.

Each plate in individual envelope with nickel plated screws.

If plates are ordered in less than standard packages an additional charge is made of 20%.

Combination telegraph call plates, indicating Western Union and Postal, door push plates, mop plates and other special shapes can be furnished in White, Pink, Blue, Brown, Gray, Ivory or Green.

Prices quoted upon request.

Plates in other combinations than those shown above, also plates over three (3) Gangs are special, and are billed at following prices.

Quantities of One Kind	Single Gang List	Two Gang List	Three Gang List	Over Three Gang List Per Gang
1 to 9	\$1.20	\$2.40	\$3.60	
10 to 49	.95	1.90	3.00	\$1.20 Per Gang
50 and over	.60	1.20	2.40	IN ANY QUANTITY

List Prices of Glassware Shown in this Catalogue

No.	Size	Description	Shown on Page	List
G235	9x7 1/4"	Clear and Opal	20	\$ 4.45
G236	8x5 5/8"	Clear and Opal	20	3.90
G627	9"	Radiant Glass Bowl	21	5.70
G628	11 1/2"	Radiant Glass Bowl	21	7.30
G629	16"	Radiant Glass Bowl	21	11.55
G763	14"	Alba Glass	3	11.00
G764	11"	Alba Glass	3	6.60
G765	8 1/4"	Alba Glass	3	3.70
G766	6 1/4"	Alba Glass	3	2.00
G1050	8x4"	Radiant Glass	8	1.15
G1050	10x5"	Radiant Glass	8-28	3.15
G1050	12x6"	Radiant Glass	8-29	4.95
G1060	13x2" Hole	Opal Glass	24	2.50
G1122	6"	Opal Glass	24	2.00
G1128	8x10x4"	Etched Glass	33	7.70
G1129	10x12x5"	Etched Glass	33	11.70
G1130	12x14x6"	Etched Glass	33	13.95
G1131	14x17x9"	Etched Glass	33	23.10
G1224	10x7 3/4"	Etched Glass	32	11.70
G1225	12x11 1/4"	Etched Glass	32	14.45
G1226	14x14"	Etched Glass	32	22.60
G1367	9"	Alba Glass	3-24	1.40
G1368	11 1/2"	Translucent Glass	3	2.80
G1382	6 1/4x2 1/4"	Opal Glass	10-25	.80
G1530	8x4"	Ruby Exit Panel	22	2.05
G1532	10x8"	Ruby Exit Panel	22	3.30
G1533	6x3 1/4"	Ruby Exit Ball	22	2.30
G1751	8"	Radiant Glass	8	2.95
G1752	10"	Radiant Glass	8	3.45
G1753	12"	Radiant Glass	8	5.00
G1754	14"	Radiant Glass	8	6.10
G2141	7x4"	Opal Glass	8-20	1.10
G2142	9x5"	Opal Glass	8-20	2.25
G2143	11x6"	Opal Glass	8-20	3.35
G2144	14x6"	Opal Glass	8-25-21	4.50
G2145	12x5"	Opal Glass	8-25	3.35
G2146	10x4"	Opal Glass	8-25-21	2.10
G2269	6x3 1/4"	Etched Glass	33	6.30
G2275	6 1/4"	Decorated Glass	20	2.05
G2563	10x4"	Celestialite Glass	8	8.55
G2565	14x6"	Celestialite Glass	8	16.50
G2566	16x6"	Celestialite Glass	8	25.60
G2568	12x4"	Celestialite Glass	8	11.85
G2571	10x4"	Polycased Glass	8	4.10
G2573	14x6"	Polycased Glass	8	7.70
G2574	16x6"	Polycased Glass	8	11.80
G2576	12x4"	Polycased Glass	8	5.65
G2621	10x10x5"	Celestialite Glass	9	9.25
G2622	13x13x6"	Celestialite Glass	9	15.50
G2624	10x10x5"	Polycased Glass	9-35	5.05
G2625	13x13x6"	Polycased Glass	9-34-35	9.30
G2626	16x16x8"	Polycased Glass	34-35	18.30
G2749	10"	Wire Guard	25	6.25

No.	Size	Description	Shown on Page	List
G2750	13"	Wire Guard	25	\$ 7.00
G2751	16"	Wire Guard	25	8.00
G2763	6x3 1/4"	Ruby Exit Ball	23	4.35
G2883	8x2 3/4"	Ruby Exit Panel	22	2.05
G3073	9x4"	Radiant Glass	9	2.10
G3133	12x5"	Tan Decorated Glass	5	4.45
G3134	14x6"	Tan Decorated Glass	5	6.45
G3144	5 3/4x2 1/4"	Opal Glass	10-12	.80
G3321	8x8x4"	Polycased Glass	9-35	3.10
G3322	8x8x4"	Celestialite Glass	9	6.40
G3449	11"	C. R. I. Glass	14	4.20
G3615	8x12"	Ant. Amber Cyl'r	29	16.10
G3616	6x9"	Ant. Amber Cyl'r	29	9.65
G3678	12x11"	Wire Guard	25	4.85
G3679	14x12"	Wire Guard	25	5.70
G3680	16x14"	Wire Guard	25	6.90
G3722	8 1/2x5 1/8x4"	Plain Glass	4-5-9-34	1.90
G3723	12x7 3/8x5"	Plain Glass	4-5-9-34	3.80
G3724	14x8 7/8x6"	Plain Glass	4-5-9-34	5.30
G3726	8 1/2x5 1/8x4"	Tan Decorated Glass	4-5-9	2.55
G3727	12x7 3/8x5"	Tan Decorated Glass	4-5-9	4.45
G3728	14x8 7/8x6"	Tan Decorated Glass	4-5-9	6.45
G3850	12"	Clear Wire Glass	14	3.60
G3853	6"	Amber Glass	15	.60
G3854	8"	Amber Glass	15	.80
G3855	10"	Amber Glass	15	1.00
G3856	9 1/8x5 1/4"	Clear Wire Glass	15	1.40
G3857	4x3 3/8"	Frosted Glass	15	.40
G3958	4x9"	C. R. I. Cylinder	30	2.85
G3959	4x10"	C. R. I. Cylinder	30-31	3.15
G3962	4 1/2x12"	C. R. I. Cylinder	31	3.60
G3967	5x15"	C. R. I. Cylinder	31	6.60
G3971	6x12"	C. R. I. Cylinder	30-31	3.85
G3972	8x16"	C. R. I. Cylinder	30-31	8.90
G3991	5 3/4x2 1/4"	Monax Glass	11	1.15
G3992	5 3/4x2 1/4"	Cremax Glass	11	1.15
G4089	6 1/4x2 1/4"	Cremax Glass	11	1.15
G4088	6 1/4x2 1/4"	Monax Glass	11	1.15
G4178	9x4"	Cremax Glass	9	2.10
G4241	5 1/4x3 1/4"	Ruby "Stair" Globe	23	2.80
G4451	10 1/2x3 1/4"	Alba Glass	15	7.50
G4664	5 1/4x3 1/4"	Ruby Exit Globe	23	2.80
G4665	5 1/4x3 1/4"	Ruby Exit Globe	23	2.80
G4760	Panel	Alabaster Cased Glass	27	.75
G4761	Panel	Alabaster Cased Glass	27	1.10
G4876	7"	Plain Glass	2	2.70
G4877	7"	Decorated Glass	2	4.40
G4882	9 1/2"	Plain Glass	2	3.55
G4883	9 1/2"	Decorated Glass	2	6.00
G4888	12"	Plain Glass	2	4.65
G4889	12"	Decorated Glass	2	7.85
G5039	8 1/4x4"	Galax Glass	24	2.70
G5040	11 3/8x5"	Galax Glass	24	7.20
G5041	14x6"	Galax Glass	24	10.10



THE GUTH PLANT

In which the Most Modern Manufacturing Methods are Used
The Manufacturers of

Brascolite

Aglite

Guth-Lite

Maze-Lite

Noshadolite

Industrolite

Guth-Fan

Guth Flange

Aristolite

Elite

Clinic-Lite

Ease-I-Lite

All the above Patented - Trade Marks Registered

The **EDWIN E. GUTH COMPANY**

Washington Boulevard at Jefferson

ST. LOUIS, MO., U. S. A.